

Fish Chomp

Level 2

These projects are for use outside the UK only. More information is available on our website at <http://www.codeclub.org.uk/>. This coursework is developed in the open on GitHub, <https://github.com/CodeClub/> come and join us!

Languages > English > Beginner Scratch > Fish Chomp

Introduction

We're going to make a Fish Chomp game! Guide the large Hungry Fish and try to eat all the prey that are swimming around.




STEP 1: Create a sprite that follows the mouse

Let's make the Hungry Fish swim around the sea!

Activity Checklist

1. Start a new Scratch project.
2. Select the Stage, then select the Stage's Backdrop tab. Import the background Nature/underwater3 using `choose background from library`. Finally, remove backdrop1.
3. Change the name of Sprite1 to 'Hungry Fish' by clicking on the blue 'i' symbol.
4. Import Hungry Fish's costume, resources/hungry-fish.png then remove its existing costume1 and costume2. *File is located at s:\shared\students\tech ed\Scratch\Lessons*
5. Click on the blue 'i' symbol again, and make sure the sprite can only flip left-right.
6. Now create a script for Hungry Fish to follow the mouse around the sea like this:



Test Your Project


Click the green flag.


Move the mouse pointer around the sea. Does the fish follow the pointer?

What happens if you don't move the mouse pointer and the fish catches up with it? What does it look like? Why does it do this?

1. You can stop the Hungry Fish flipping like crazy if you make it only move when it's not too near the mouse pointer

(The `distance to` block is in the `Sensing` palette).



 Save your project

Things to try



If you want, you can put different numbers in the script. How does that change how Hungry Fish moves? Change the distance threshold to a large number (e.g. 100), or a small number (e.g. 1). Change the amount the fish moves to a large number (e.g. 20) or a small number (e.g. 1 or even 0).

STEP 2: Add some prey

It's time to make something for the Hungry Fish to try to eat!

Activity Checklist

- 1. Create a new sprite from the library, using Animals/starfish.
- 2. Use the `Shrink` sprite tool (above the Stage) to make the sprite smaller.
- 3. Create a script to make the prey swim around. We want them to move randomly, so let's make it move forward a bit, then turn a random amount left or right, then do it again.



*Turn is in Motion Section and
Pick Random is in Operators Section*

Test Your Project

Click the green flag and watch the prey swim around. Does it swim like you expect? Does it swim realistically?

At the moment, the Hungry Fish and the prey don't interact with each other. We'll sort that out in the next step.

Save your project

Things to try

- Try changing the numbers in the `pick random` and move blocks. How do they make the prey move differently?
- What does the `if on edge, bounce` block do? Take it out and see what happens.


STEP 3: Hungry Fish eats the prey

Now we want to make the Hungry Fish eat the prey! Once the Hungry Fish has caught the prey in its mouth, two things need to happen:

- The Hungry Fish needs to close its mouth and make a "chomp" sound.
- The prey needs to disappear, then reappear a short while later.

✓ Activity Checklist

1. First, let's make the prey disappear if it is touching the Hungry Fish, and then reappear 3 seconds later. Use the `touching` block to see if it is touching the fish.



Also add this code to make the prey always appear at the start of the game




🚩 Test Your Project

Try out your game again – can you spot any problems? Notice that the prey disappears no matter where it touches the Hungry Fish. Also, the fish could just wait 3 seconds and eat the prey the moment it reappears – this isn't very fair!

1. How could we make sure the prey only disappears if it is touching the Hungry Fish's mouth? Well, we could use the `touching color` block, and see if it is touching the fish's blue teeth. To do this, replace the `touching` block with a `touching color` block in your script, click on the color in the block and then click again on the fish's teeth.

2. Next we can make the prey move to a random point on the screen before reappearing using a `go to` block, and giving it a random value for x and y.



```
when green flag clicked
  forever loop
    move 2 steps
    turn pick random -20 to 20 degrees
    if on edge, bounce
    if touching color blue? then
      hide
      wait 3 secs
      go to x: pick random -220 to 220 y: pick random -170 to 170
      show
```

Touching Color is in Sensing Section

Go To is in Motion Section

Test Your Project

Try the game again – does the prey only vanish when it touches the fish's mouth? And does it reappear in a random point on the screen instead of where it was eaten?

1. The fish needs to know when it has eaten something so it can play a sound and change its skin. To do this, we can have the prey **broadcast** the fact that it's been eaten before vanishing.




```
when green flag clicked
  forever loop
    move 2 steps
    turn pick random -20 to 20 degrees
    if on edge, bounce
    if touching color [red] ?
      broadcast got me
      hide
      wait 3 secs
      go to x: pick random -220 to 220 y: pick random -170 to 170
      show
```

The script starts with a 'when green flag clicked' event block. It then enters a 'forever' loop. Inside the loop, the object moves 2 steps, turns a random angle between -20 and 20 degrees, and bounces off the edges. It then checks if it is touching a red color. If it is, it broadcasts a message 'got me', hides itself, waits for 3 seconds, moves to a random position on the stage, and shows itself.

Now we want the fish to respond to this message by making a “chomp” sound and snapping its jaws.

2. Add the resources/mouth-closed.png costume and the resources/chomp.mp3 sound to the Hungry Fish sprite. *File is located at s:\shared\students\tech ed\Scratch\Lessons*

3. Then, add a new script to the Hungry Fish to respond to the message **broadcast** by the prey. This script should make the fish play the 'chomp' sound and **switch to** the mouth-closed costume, wait briefly and then switch back.



```
when I receive got me
  play sound chomp
  repeat 2
    switch to costume mouth-closed
    wait 0.5 secs
    switch to costume hungry-fish
```

The script is triggered when the fish receives the 'got me' message. It plays the 'chomp' sound, then enters a 'repeat' loop that runs twice. In each iteration, it switches to the 'mouth-closed' costume, waits for 0.5 seconds, and then switches back to the 'hungry-fish' costume.

Now our Hungry Fish is ready to eat, let's fill the ocean with prey. Right-click on the prey sprite and click “duplicate” several times.

Test Your Project

Click the green flag.

Does the Hungry Fish eat the prey? Does it eat each of the different prey?

Save your project

Things to think about

Why do we need to add a `show` block to the start of the prey's script? Think about what would happen if the prey is eaten, then the game is stopped before it reappears. What would happen if the game was restarted then?

Well done you've finished the basic game. There are more things you can do to your game though. Are you ready for a challenge?

Challenge 1: Make the prey move differently

-30 If Missing

At the moment, all the prey move in the same way. Can you make one of them move differently? Hint: Don't spend too long on this bit without looking at the other activities in this project.

Pick one of the prey to experiment on. If they have the same costumes, make it a different colour with the `set color effect` block. That way, you can tell it apart from the rest of the prey.

Make this prey move slower than the others. Hint: Look at the `move 2 steps` block.

Test Your Project

Does the prey move slower? Does this make the game better?

If you can do that, try making one of the prey move quicker than the others.

Does the prey still move in a sensible way? Do these changes make the game better?

Hint: If your prey swims around in circles, check the values of the `pick random` block in the `turn` block.

How about you make each of the prey behave differently, using different combinations of these changes?

Do any of these changes make the game better? Do they make the game more interesting, more fun, harder, or easier? Are any of those "better"?



Save your project

Challenge 2: Make the prey avoid the Hungry Fish

The prey in this game are really stupid! They just swim around randomly until they're eaten. Real prey swim away from predators. Let's make one of the prey swim away from the Hungry Fish.

There's no block in Scratch that tells you the direction that another sprite is in. But you can make one sprite point towards another, then make it turn around to face away. The blocks you need are in the `Motion` palette.

Using that idea, make one of the prey always point away from the Hungry Fish.

You might find that your prey gets stuck in the corner if it is always swimming away from the fish. You might want to have the prey only try to escape when the fish gets close.

Hint: Look back at how we used the `distance to` block earlier in the game.



Test Your Project

Does this make the prey harder to catch? Does it make the game better?



Save your project

Challenge 3: Add a score

-30 If Missing

It's not enough just to eat lobsters. How do you know you're better at the game than your friends? You need a way to keep score so let's add a score board. Look at the Keep Score scratch card for an idea of how to do it.

Where should you put the block that changes the score?

Make sure the score goes back to zero at the start of the game. Where should you put that block?



Test Your Project

Does the score go to zero at the start of the game? Does it go up every time you eat prey?



Save your project

Challenge 4: Add a countdown

-30 If Missing

Give yourself a time limit in the game. How many prey can you eat in thirty seconds?

Look at the Timer scratch card for how to add a timer to the game. Start with the game lasting thirty seconds.



Test Your Project

Does the timer start at 30?

Does it go down at the right speed?

Can you catch prey while the timer is going?

Does the game stop when the timer reaches zero?



Save your project

Challenge 5: Add a bonus score

Award a large bonus score if you can eat all three lobsters at the same time. How can you tell how many prey have been eaten?

Hint: One way to do this uses a variable to count how many prey are swimming around.



Save your project

Challenge 6: Change the game: keep a prey alive!

Sometimes, you can have great new ideas by taking an existing idea and doing the opposite.

Modify the game so that, instead of you controlling a fish that tries to eat the others, you control one prey in a sea with lots of Hungry Fish. How long can you last before you're eaten? Instead of having a score, how about giving the prey 3 lives and ending the game when they're all gone?



Save your project

Well done you've finished, now you can enjoy the game!

Don't forget you can share your game with all your friends and family by clicking on Share on the menu bar!

These projects are for use outside the UK only. More information is available on our website at <http://www.codeclub.org.uk/>. This coursework is developed in the open on GitHub, <https://github.com/CodeClub/> come and join us!

This work is licensed under a [Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License](https://creativecommons.org/licenses/by-nc-sa/4.0/).